

ALWAYS AT YOUR SERVICE...

blika.

intelligent storage





BLIKA PROVIDES INTELLIGENT STORAGE

Over 60 years of experience have taught us that quality and functionality should go hand in hand. Therefore, today Blika is one of Europe's leading manufacturers of intelligent storage systems. Our customers choose us because of the quality, flexibility and the way our products can be used.

Our ideas have been thought through. And these ideas have resulted in creative and functional details that excite people. Blika is run from the headquarters in Esbjerg, while the production is located in our own factory in Czech Republic. The factory is run according to Western standards with high productivity and quality, that meets the high level that Blika is known to deliver. Blika is represented in several European markets with sales offices in both Sweden, Czech and Slovakia.

We are a solid company in growth and we look forward to continue to be an indispensable partner for the many workshops, industrial companies, schools and institutions that have high demands on quality and aesthetic equipment with storage in furniture quality.

TABLE OF CONTENTS

Blika Line

Blika Line.....	5
-----------------	---

Mobile workstations

Mobile workstations VV-2.....	6
Mobile workstations VV-3.....	7
Mobile workstations VVM.....	9
PreWo mobile workstations.....	10
Mobile workstations.....	11
Mobile tool panels.....	11
Trolleys.....	12
Mobile tool cabinets type SS, VS.....	12

Drawer cabinets

Drawer cabinets SS.....	14
Drawer divisions for VVM and SS.....	16
Blika drawer cabinets special.....	18

Workbenches

Workbenches VBB.....	19
PreWo workbenches.....	21
Ergo workbenches.....	21

Tool panels

Tool panels.....	25
Steel hooks.....	26
PreWo hooks.....	30

Tool storage

Tool cabinets MS-2.....	32
Tool cabinets MSG-3.....	33
Fluid storage cabinets KS-1 and KS-0.5.....	38
Oil storage cabinets.....	39
Blika's storage rack.....	40
Computer cabinets.....	41
Tool cabinets and desktop.....	42
Tool and ring binder cabinets.....	43
Tool cabinets.....	43
PreWo tool cabinets.....	44
Steel bolt racks.....	45
Waste bins.....	46
Fireproof waste container.....	46
Office trolley.....	47
Filing cabinets.....	48
Drawer cabinet.....	49

Lockers


Vision lockers.....	50
Charging lockers.....	51
Computer trolley.....	52
G lockers.....	54
GD lockers.....	55
GDT lockers.....	56
GB box lockers.....	58
Changing room locker.....	60
GBF student lockers.....	60
EBF student lockers.....	62
GZ lockers.....	64
PF post box lockers.....	64
RS garment lockers.....	65
ST soiled garment lockers.....	66
BS firemans lockers.....	66
MB mini box.....	67
Medicine cabinet.....	68
Key cabinet.....	68
Golf lockers.....	69
Benches and clothes racks.....	70
Children's wardrobe and wardrobe racks.....	71
Institutional furniture.....	72
Standard equipment and accessories.....	74
Ventilation systems.....	76
Colours.....	79



BLIKA LINE

Blika Line is a new modular concept in workshop equipment. We focus on the individually equipped workshop, where the modern mechanic can combine modules to meet his needs.

The workshops experience and increasing need of profiling grows customers trust. In addition to an attractive, industrial design and Blika's well-known quality, the key words are productivity and efficiency – enabling you to optimise your work flow.





Blika Line

Mobile Workstations

Drawer cabinets

Blika Line

Workbenches

Tool panels

Tool storage

Lockers

Item no.	Type:	Inside measure in mm of drawers/lockers			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V2014	Tool cabinet MS-1 with 4 galvanized shelves	1775	915	580	2000	1000	600
131V2097	Tool cabinet MS-1 with single door and 4 galvanized shelves	1775	462	580	2000	550	600
132B0010	Waste container for own containers	1065	819	574	1120	900	600
142B0013	Drawer cabinet SS-1.3 (3 drawers)	179	509	580	920	600	600
142B0014	Drawer cabinet SS-1.4 (4 drawers)	149	509	580	920	600	600
142B0010	Drawer cabinet SS-1.5 (4 small drawers and one large drawer)	99/179	509	580	920	600	600
135B0010	Tool cabinet wall-mounted	300	760	277	350	800	300
130F0010	VV-3 mobile workstation with rubber mat on top (drawer)	650(114)	463(293)	475(430)	904	967	500
142H0010	Tool cabinet with 1 galvanized shelf (dimensions without plinth)	720	538	572	800	600	600
143F0010	Computer cabinet (shelf)	770(63)	529(505)	580(490)	1120	600	600
141T0050	Worktop				27	2400	600
141F1035	Tool board hole 10 x 10 mm. Center distance 34 mm				2000	900	20
141F1022	Crossbrace for tool board size 2000 x 900 mm				70	850	20
141F1013	Tool board hole 10 x 10 mm. Center distance 34 mm				2000	800	20
141F1023	Crossbrace for tool board size 2000 x 800 mm				70	754	20
141F1017	Tool board w. hole for cables. Hole 10 x 10 mm. Center distance 34 mm				2000	600	20
141F1019	Tool board hole 10 x 10 mm. Center distance 34 mm				2000	600	20
141F1018	Crossbrace for tool board size 2000 x 600 mm				70	554	20
141F1021	Rack profile for tool board				2000	45	30

MOBILE WORKSTATIONS VV-2



130E0001

Mobile work station type VV-2 with beech parquet worktop and castor wheels (2 fixed and 2 swivels with total lock). 5 drawers, 1 large drawer and 1 cupboard included. All drawers are mounted on smooth operating extension slides. The cupboard includes 1 adjustable, Galfan® shelf, load capacity 30 kg. The trolley is mounted with a central latch handle for padlock. Capacity: large drawer 30 kg, small drawers 35 kg, the entire trolley 500 kg.

VV-2 inside measure in mm:

Locker			D: 475
Wide drawer	H: 64	W: 455	D: 468
Narrow drawer	H: 109	W: 290	D: 454

VV-2 internal dimensions i mm:

Locker	H: 553	W: 466
--------	--------	--------



130E0021*



130E0001+141F0062*



VV-2 drawer runners

VV-2 models

Item no.:	Type:	Outside measure in mm.		
		H:	W:	D:
130E0001	VV-2 with beech parquet worktop	920	988/1077	591
130E0021	With elevating tool holder panel VT-1	920	988/1077	665

Accessories

Item no.:	Type:	Outside measure in mm.		
		H:	W:	D:
142T0050	Elevating tool panel VT-1 for VV-2 and VV-3 with load of 14 kg	725/1284	890	118
141F0024	Tool holder panel for end of VV-2 and VV-3	674	496	10
141F0062	Mounting kit consisting of 3 tool holder panels incl. fittings (VV-2 and VV-3)	474	920	48
141F0067	Mounting kit consisting of 1 fixed tool holder panel incl. fittings (VV-2 and VV-3)	474	920	35
013J9200	Vice 4" Record with lose jaws	135	260	100
142T0306	2 mm stainless, non-organic, acid proof worktop	64	988	591
142T0303	Galvanized cover plate	36	995	598
430E0042	Shelf for VV-2	17	537	437
013E9230	Fixed wheel with roller bearing in recycled rubber. 2 per trolley (standard)		Ø 160	
013E9231	Swivel wheel with total locks. 2 per trolley (standard)		Ø 160	
013E9238	Fixed castor pneumatic tyred wheel. 2 per trolley		Ø 200	
013E9239	Swivel castor pneumatic tyred wheel with total lock. 2 per trolley		Ø 200	
013N9076	Rubber mat for insert large drawer VV-2	2	450	460
013N9077	Rubber mat for insert small drawer VV-2	2	285	448

See drawer divisions page 16 and 17.

MOBILE WORKSTATIONS VV-3

Mobile work station type VV-3 with beech parquet worktop and castor wheels (2 fixed and 2 swivels with total lock). Supplied with 5 drawers mounted on ball bearing slides with anti-tilt system, cupboard door with double wall. Toolholder panel on inside of the door and 1 adjustable Galfan® shelf load capacity 30 kg is included. Drawing holder on side can also be used as a tool-holder panel. Central locking system. Capacity of each drawer is 46 kg and of the entire trolley 500 kg.

130F0001



VV-3 inside measure in mm:

Locker			D: 483
Drawer	H: 114	W: 293	D: 419

VV-3 internal dimensions in mm:

Locker	H: 651	W: 463
--------	--------	--------

130F0041*



130F0001+141F0062*



VV-3 Drawer runners

VV-3 models

Item no.:	Type:	Outside measure in mm.		
		H:	W:	D:
130F0001	VV-3 with beech parquet worktop	920	988/1077	591
130F0021	VV-3 with beech parquet worktop incl. elevating tool holder panel VT-1	920	988/1077	665
130F0031	VV-3 with beech parquet worktop incl. pull-out tool panel VT-3	920	988/1077	659
130F0041	VV-3 with beech parquet worktop incl. pull-out and elevating tool panels VT-1 and VT-3	920	988/1077	665

Accessories

Item no.:	Type:	Outside measure in mm.		
		H:	W:	D:
142T0050	Elevating tool panel VT-1 for VV-2 and VV-3 with load of 14 kg	725/1284	890	118
142T0200	Pull out tool panel VT-3 for VV-3	648	230	453/888
141F0024	Tool holder panel for end of VV-2 and VV-3	674	496	10
141F0062	Mounting kit consisting of 3 tool holder panels incl. fittings for VV-2 and VV-3	474	920	48
141F0067	Mounting kit consisting of 1 fixed tool holder panel incl. fittings for VV-2 and VV-3	474	920	35
013J9200	Vice 4" Record with loose jaws	135	230	100
142T0306	2 mm stainless, non-organic, acid proof worktop	64	988	591
142T0303	Galvanized cover plate for VV-2 and VV-3	36	995	598
430F0021	Shelf for VV-3	20	532	430
013E9230	Fixed wheel with roller bearing in recycled rubber. 2 per trolley (standard)		Ø 160	
013E9231	Swivel wheel with total locks. 2 per trolley (standard)		Ø 160	
013E9238	Fixed castor air filled wheels. 2 per trolley		Ø 200	
013E9239	Swivel castor air filled wheels. 2 per trolley		Ø 200	
013N9078	Rubber mat for VV-3	2	285	428

See drawer divisions page 16 and 17.



NOW LOADING UP TO 75 KG

Blika's drawer cabinets ensure your company durable and functional storage solutions. The smooth-running drawers on steel ball bearings with 100% extension in various drawer heights and a carrying capacity of 45 or 75 kg ensure optimum utilisation. The drawers have drawer stops and handles with transparent foil label holders.



Contact Blika for more information.

MOBILE WORKSTATIONS VVM


140B0001

Mobile workstation, type VVM-1.2 with multilayer worktop and castor wheels (2 fixed and 2 swivel with total lock). Drawer section consists of 6 drawers on steel ball bearing drawer slides allowing full extension, central locking system in all 6 drawers and anti-tilt system. Cabinet section consists of a tool cabinet with 1 adjustable, Galfan® shelf load capacity 30 kg. Both locks are identical. Capacity of each drawer is 45 kg and of the entire work station 500 kg.


140F0001

Mobile workstation VVM-1.2 SPEC with two drawer units, each containing 6 fully extractable drawers with many partitioning possibilities


140B0021*

Mobile workstation VVM-1.2 with 6 drawers and cupboard, central lock, multiplex worktop and elevating tool panel VT-1.2.


140C0001

Mobile workstation VVM-1.1 with 4 drawers and cupboard, central lock, multiplex worktop and steering handle.


140E0001

Mobile workstation with two VS-1.2 cabinets containing galvanised shelves with load capacities of 30 kg.

VVM models

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
140B0001	VVM-1.2 - with 6 drawers, VS-1.2 tool Cabinet and multiplex worktop	936	1150/1249	610
140B0001-H	VVM 1.2 - with 6 drawers, VS-1.2 tool Cabinet and multiplex worktop Load capacity of each drawer 75 kg	936	1150/1249	610
140B0021	VVM-1.2 - with tool board VT-1.2 (elevating tool board panel) mounted	936	1150/1249	680
140F0001	VVM-1.2 SPEC with 2 SS-1.6A cabinets	936	1150/1249	610
140E0001	VVM-1.2 SPEC with 2 VS-1.2 cabinets	936	1150/1249	610
140C0001	VVM-1.1 - with 4 drawers, VS-1.2 tool Cabinet and multiplex worktop	936	1150/1249	610
140C0021	VVM-1.1 - with tool board panel VT-1.2 (elevating panel) mounted	936	1150/1249	680

Accessories

Item no.:	Type:	Outside measure in mm.		
		H:	W:	D:
142T0100	Tool board VT-1.2 (elevating tool board panel for VVM-1.1 and VVM-1.2) with load of 14 kg	738/1260	1077	95
142T0307	Stainless steel, acid-resistant 2 mm worktop (free of organic material) for VVM-1.1 and VVM-1.2	63	1167	595
142T0301	Galvanised cover plate for VVM-1.1 and VVM-1.2	36	1155	615
440B0010	Shelf for VVM-1.1 and VVM-1.2	15	534	523
013E9230	Fixed wheel with roller bearing in recycled rubber. 2 per trolley (standard)		Ø 160	
013E9231	Swivel wheel with total locks. 2 per trolley (standard)		Ø 160	
013E9238	Fixed castor air filled wheels. 2 per trolley		Ø 200	
013E9239	Swivel castor air filled wheels. 2 per trolley		Ø 200	

* (without tools)

PREWO MOBILE WORKSTATIONS

The flexible, multipurpose workstation. The workstation is practical and can easily be rolled along, and it is useful for small as well as large tasks.

The workstation consists of a base module that can be used as a small mobile workstation alone. The module can be expanded with a tool panel top cabinet for hanging tools. The top cabinet comes in 2 depths and can also be used for wall mounting.

Workstations and cabinets can be combined freely as per your wish. The workstation comes with standard tool panels with hole size 10 x 10 mm, centre distance 20 mm to PreWo hooks and mounts, but can also be supplied with hole size 10 x 10 mm, centre distance 34 mm for Blika's conventional hooks.



PreWo models

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
14001	Tool wagon (90000 + 20000), hole 10 x 10 mm. Center distance 20 mm	1630	621	490
14000	Tool wagon (90000 + 20000) incl. hookset 76 (11203). Hole 10 x 10 mm. Center distance 20 mm	1630	621	490
14051	Tool wagon (90000 + 26000), hole 10 x 10 mm. Center distance 20 mm	1630	621	490
14050	Tool wagon (90000 + 26000) incl. hookset 76 (11203). Hole 10 x 10 mm. Center distance 20 mm	1630	621	490
14070	Tool wagon (91000 + 26000), hole 10 x 10 mm. Center distance 20 mm	1630	621	490
14090	Tool wagon (91090 + 22000), hole 10 x 10 mm. Center distance 20 mm	1630	621	518
14110	Tool wagon (91090 + 20000) incl. hookset 76 (11203). Hole 10 x 10 mm. Center distance 20 mm	1630	621	518


Trolleys for other combinations

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
90000	Trolley with shelf, drawer and cylinder lock. Hole 10 x 10 mm. Center distance 20 mm	738	621	490
91000	Trolley with open sides, without shelf and drawer. Hole 10 x 10 mm. Center distance 20 mm	738	621	490
91090	Trolley with 5 drawers with steel ball slides and cylinder lock. Hole 10 x 10 mm. Center distance 20 mm	738	621	518
26000	Tool cabinet Hole 10 x 10 mm. Center distance 20 mm	890	620	435
20000	Tool cabinet incl. hookset 76 (11203) Hole 10 x 10 mm. Center distance 20 mm	890	620	235
26500	Tool cabinet, twin version. Hole 10 x 10 mm. Center distance 20 mm	890	620	435
17100	Storage wagon, hole 10 x 10 mm. Center distance 20 mm	1040	620	435
17100-269	Storage wagon, hole 10 x 10 mm. Center distance 34 mm	1040	620	435

Accessories

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
40300	PreWo side shelf for tool trolley	20	470	470
40310	PreWo side shelf for tool trolley	15	470	125

* (without tools)



135A0004

MOBILE WORKSTATIONS

Flexible and practical workstation with tool panel cabinet for small and large tasks. Fitted with lockable rotary handle. The workstation is fitted with 2 shelves and 4 swivel castors, 2 of them with brake. The tool panel cabinet can be supplied with hole size 10 x 10 mm and a center distance of either 20 mm or 34 mm.

Toolwagons

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
135A0006	Tool trolley with 2 shelves, hole 10 x 10 mm. Center distance 20 mm	1735	800	500
135A0004	Tool trolley with 2 shelves, hole 10 x 10 mm. Center distance 34 mm	1735	800	500



31000

MOBILE TOOL PANELS

Blika/PreWo mobile tool panels are well designed and flexible for workshops with a need to have their tools at hand. The large swivel wheels and the low centre of gravity makes the unit easy to manoeuvre - even when loaded with up to 400 kg of tools.

Available with either PreWo tool panels with hole size 10 x 10 mm, centre distance 20 mm for PreWo hooks and mounts, or Blika's tool panels with hole size 10 x 10 mm, centre distance 34 mm for Blika's hooks.

Tent wagon

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
31000	Tent Wagon, with tool panel (66000) incl. hook kit (11203) hole 10 x 10 mm. Center distance 20 mm	1340	950	500
31020	Tent Wagon, with tool panel (66000), hole 10 x 10 mm. Center distance 20 mm	1340	950	500
31500	Tent Wagon, with tool panel (141F0045), hole 10 x 10 mm. Center distance 34 mm	1340	950	500

TROLLEYS

A light and handy trolley that can easily be pulled along to work task in various sites.



18100



135A0005

Models

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
135A0005	Warehouse trolley, light and mobile workshop trolley. Load 40 kg	800	815	450
18100	Quick trolley with 3 shelves and 2 drawers. Load 40 kg per shelf and 15 kg per drawer	850	735	480
18300	Quick trolley with 3 shelves. Load 40 kg per shelf	850	735	480

MOBILE TOOL CABINETS TYPE SS, VS



142C0012



142H0012

Drawer cabinet SS or Tool cabinet VS-12 with multiplex worktop, steering handle and wheeled base plate with 4 swivel wheels, two of them with brake.

SS and VS models

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
142C0012	Mobile tool cabinet with 6 drawers (SS-1.6 on wheels), with multiplex worktop and handle.	840	700	597
142H0012	Mobile tool cabinet VS-1.2 (VS-1.2 on wheels), with multiplex worktop and handle.	840	700	597

See drawer divisions page 16 and 17.



DRAWER CABINETS SS



142N0000



142H0000

An extensive programme with numerous options for tailoring offers optimal lay-out of a store or workshop. Smooth-acting drawers are mounted on ball bearing slides with 100% extension, which offers the best possible utility. Anti tilt locking ensures only one drawer opens at a time. Full width aluminium handles with plastic covered label holder. All cabinets are supplied with a rubber mat with a nonslip retaining surface. Cabinets can be mounted with 4 to 10 drawers. Capacity of each drawer is 45 kg evenly distributed. Utility height each drawer is 50, 116, or 183 mm. External drawer height is 66, 132, or 198 mm.

SS models

100 % extension. H: 700 x B: 539 x D: 561 mm. Inside measure 561 x 592 mm.

Item no.	Type:	Drawer inside measure in mm			Drawers outside measure in mm		
		H:	W:	D:	62	128	193
					Number of drawers		
142A0000	Drawer cabinet SS-1.4 A (4 drawers)	50/183	449	445	1		3
142I0000	Drawer cabinet SS-1.4 B (4 drawers)	116/183	449	445		2	2
142B0000	Drawer cabinet SS-1.5 A (5 drawers)	50/116/183	449	445	2	1	2
142M0000	Drawer cabinet SS-1.5 B (5 drawers)	50/116/183	449	445	1	3	1
142N0000	Drawer cabinet SS-1.5 C (5 drawers)	116	449	445		5	
142C0000	Drawer cabinet SS-1.6 A (6 drawers)	50/116/183	449	445	3	2	1
142O0000	Drawer cabinet SS-1.6 B (6 drawers)	50/116	449	445	2	4	
142P0000	Drawer cabinet SS-1.6 C (6 drawers)	50/183	449	445	4		2
142D0000	Drawer cabinet SS-1.7 A (7 drawers)	50/116	449	445	4	3	
142Q0000	Drawer cabinet SS-1.7 B (7 drawers)	50/116/183	449	445	5	1	1
142E0000	Drawer cabinet SS-1.8 A (8 drawers)	50/183	449	445	7		1
142J0000	Drawer cabinet SS-1.8 B (8 drawers)	50/116	449	445	6	2	
142R0000	Drawer cabinet SS-1.8 C (8 drawers)	50/116/183	449	445	1	6	1
142F0000	Drawer cabinet SS-1.9 (9 drawers)	50/116	449	445	8	1	
142G0000	Drawer cabinet SS-1.10 (10 drawers)	50	449	445	10		

Tool cabinet VS-1.2


H: 700 x W: 539 x D: 561 mm, inside measure 640 x 450 mm.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
142H0000	VS-1.2 cabinet incl. 2 galvanized shelves	700	539	561

See drawer divisions page 16 and 17.



142G0000+118D0070



142T0004



142T0000


Accessories

Item no.	Type:	Inside measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
142T0000	Closed plinth for SS and VS-1.2				130		
118D0070	Square tube plinth for SS and VS-1.2, basic unit				370	530	540
118D0071	Square tube plinth for SS and VS-1.2, extension unit				370	530	540
142T0010	SP-1 - desktop with cylinder lock for SS and VS-1.2	100/235	515		250	539	561
440B0010	Galvanized shelf for VS-1.2					534	523
142T0003	Drawer section incl. 1 drawer for cabinet VS-1.2	122	415	378	125	535	424
142T0012	Drawer section incl. 2 drawer for cabinet VS-1.2	122	415	378	253	535	424
142T0013	Drawer section incl. 3 drawer for cabinet VS-1.2	122	415	378	382	535	424
142T0014	Pull out shelf for VS-1.2					411	535
013N9002	Rubber mat insert for SS drawer						
013N9004	Rubber mat with mount glue adhere for SS and VS-1.2 top						
142T0004	SS/VS-1.2 wheel frame complete (4 wheels, 2 with brake)				120	520	545


See drawer divisions page 16 and 17.

DRAWER DIVISIONS FOR VVM AND SS

There are countless divisions for drawers, with plastic boxes, through inserts or steel dividers.



Plastic boxes



Plastic through inserts



Steel dividers 3 x 148 mm



Steel dividers 4 x 110 mm

Sets of plastic boxes

Item no.	Space per drawer:	For type:	Outside measure in mm		
			H: 46 W: 75 D: 75	H: 46 W: 150 D: 75	H: 46 W: 150 D: 150
142T0066	36	VVM and SS	36		
142T0067	18	VVM and SS		18	
142T0068	9	VVM and SS			9

Plastic boxes sold loose

Item no.	Outside measure in mm		
	H: 46 W: 75 D: 75	H: 50 W: 150 D: 75	H: 50 W: 150 D: 150
H828.193	1		
H828.195		1	
H828.198			1

Plastic through inserts

Plastic through inserts 150 x 150 mm.
9 pcs. per drawer

Item no.	For type:	Width of insert/max. Ø mm			Dividers width in mm		
		33	45	70	33	45	70
H828.211	VVM and SS	x					
H828.216	VVM and SS				x		
H828.210	VVM and SS		x				
H828.215	VVM and SS					x	
H828.209	VVM and SS			x			
H828.214	VVM and SS						x
H828.161	Label holder, w. cardboard strip + transparent foil						




Sets of steel dividers

Item no.	Space per drawer:	For type:	H:	Steel tray width in mm					Wall for tray width in mm					Plastic list
				110	143	145	148	166	107	141	143	146	164	
142T0127	4	VV-2 (High)	76			2					2			1
142T0128	4	VV-3	76			2					2			1
142T0104	8	VVM and SS	44	4					4					3
142T0105	8	VVM and SS	94	4					4					3
142T0106	6	VVM and SS	44	1				2	1				2	2
142T0107	6	VVM and SS	94	1				2	1				2	2
142T0108	6	VVM and SS	44				3					3		2
142T0109	6	VVM and SS	94				3					3		2
142T0110	6	139A/B0000			3					3				2

Steel dividers, sold loose

Item no.	For type:	H:	Steel tray width in mm					Wall for tray width in mm						
			110	143	145	148	166	107	141	143	146	164		
142T0129	VV-2 and VV-3 (High)	76			x									
142T0130	VV-2 and VV-3 (High)	76									x			
142T0083	VVM and SS	44	x											
142T0090	VVM and SS	46							x					
142T0084	VVM and SS	94	x											
142T0091	VVM and SS	96							x					
142T0085	VVM and SS	44				x								
142T0092	VVM and SS	46										x		
142T0086	VVM and SS	94				x								
142T0093	VVM and SS	96										x		
142T0087	VVM and SS	44						x						
142T0094	VVM and SS	46												x
142T0088	VVM and SS	94						x						
142T0095	VVM and SS	96												x
142T0111	Single/double drawer	68		x										
142T0112	Single/double drawer	64								x				
012F0001	Clamping strip													
142T0131	Stop for drawer separation													



BLIKA DRAWER CABINETS SPECIAL

With Blika's special drawer cabinets, designing your own intelligent storage system is easy. Special drawer cabinets are exceptionally heavy-duty and robust, with high load capacities. You yourself decide the height of the cabinet, the number of drawers, their layout and load capacity, etc.

Find the right cabinet and choose the right drawers

There are 5 cabinet sizes to choose from, with different widths, depths and heights. You can choose any number of drawers between 4 and 20, in many different heights. You can also choose between drawers with different load capacities, and there are many possibilities for adapting drawer layout to individual requirements.



Special catalogue

For further details on the possibilities of designing your own storage system using Blika's special drawer cabinets, please request our special catalogue. The catalogue is also available free of charge at www.blika.dk.

WORKBENCHES VBB


141B0000

The heavy steel construction of the frame combined with our heavy worktops offers numerous ways to customize the work bench. Work benches can be fitted with 1, 2, or 3 ball bearing drawer sections above each other. Drawers can be fitted anywhere along the front of the worktop. For the craftsman who demands the optimal stationary work station the work top can be combined with drawer or cupboard sections. The legs of the work benches are prepared for floor bolting. Workbench capacity is 900 kg. Contact Blika regarding ESD safety workbenches.

Workbenches

With bed and 48 mm, beech layered worktop.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141G0000	VBB-1.10	890	1000	770
141A0000	VBB-1.15	890	1500	770
141B0000	VBB-1.20	890	2000	770
141C0000	VBB-1.25	890	2500	770
141D0000	VBB-1.30	890	3000	770
141A0092	VBB-1.20 with adjustable legs	735-1035	2000	770


141B0010

Complete Workbenches

With shelf, drawer and 48 mm, beech layered worktop.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141G0010	VBB-1.10 complete	890	1000	770
141A0010	VBB-1.15 complete	890	1500	770
141B0010	VBB-1.20 complete	890	2000	770
141C0010	VBB-1.25 complete	890	2500	770
141D0010	VBB-1.30 complete	890	3000	770



141C0030

Workbenches incl. drawer cabinet

With shelf, drawer cabinet SS-1.5A (can be mounted right or left) and 48 mm beech layered worktop.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141A0030	VBB-1.15 - SS-1.5A	890	1500	770
141B0030	VBB-1.20 - SS-1.5A	890	2000	770
141C0030	VBB-1.25 - SS-1.5A	890	2500	770
141D0030	VBB-1.30 - SS-1.5A, excl. shelf - incl. bed	890	3000	770



Workbenches for wall mounting

With 48 mm beech parquet worktop.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141C0003	VBB-1.15 for wall mounting	890	1500	765
141C0004	VBB-1.20 for wall mounting	890	2000	765



Light Workbench

With grey laminate worktop.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141H1680	VBB-1.16	730	1600	800

PREWO WORKBENCHES

Workbench with steel worktop and inner plate of sound-proofing chipboard. It is possible to adjust the working height from 750 mm to 950 mm. Workbench capacity is 400 kg.



40150



40865

PreWo workbench with steel worktop

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
40150	Workbench 1500 mm incl. shelf	750-950	1500	700
40865	Workbench 1500 mm incl. shelf, drawer and backplate	750-950	1500	700
40200	Workbench 2000 mm incl. shelf	750-950	2000	700
40965	Workbench 2000 mm incl. shelf, drawer and backplate	750-950	2000	700
40155	Workbench 1500 mm for wall mounting	850	1500	700
40255	Workbench 2000 mm for wall mounting	850	2000	700

ERGO WORKBENCHES



141B0080

Ergonomic work benches with stepless height adjustment, enabling variable work heights, provide an excellent work station. This work bench increases the efficiency of employees and reduces the risk of industrial injury from heavy lifts and bad working positions.

Technical Data:

Technical Data:
 Max. lifting height: 450 mm.
 Max. lifting speed: 8 mm/sec.
 Power supply: 230V.
 Work surface: 48 mm beech parquet worktop
 CE and TÜV approved.

Hight adjustable Ergo Workbenches

With 48 mm beech parquet worktop and height adjustment. Load capacity of 300 kg or 500 kg.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141A0065	VBB-2.10 Ergo 300 - Workbench	754-1204	1000	770
141A0070	VBB-2.15 Ergo 300 - Workbench	754-1204	1500	770
141B0070	VBB-2.20 Ergo 300 - Workbench	754-1204	2000	770
141C0070	VBB-2.25 Ergo 300 - Workbench	754-1204	2500	770
141A0080	VBB-2.15 Ergo 500 - Workbench	754-1204	1500	770
141B0080	VBB-2.20 Ergo 500 - Workbench	754-1204	2000	770
141C0080	VBB-2.25 Ergo 500 - Workbench	754-1204	2500	770

Drawers

Item no.	Type:	Inside/outside measure in mm		
		H:	W:	D:
139A0000	Single Drawer with steel ball slides and cylinder lock	98/145	433/465	480/505
139A0001	High single drawer with steel ball slides and cylinder lock	245/290	433/465	500/503
139B0000	Double drawer with steel ball slides and central lock	98/294	433/465	480/503
141T0030	Insert Tray for single and double drawer	/47	/446	/202
139A0003	PreWo single drawer	98/180	433/465	480/520



Drawer section

With full extension, steel ball slides and cylinder lock.

Item no.	Type:	Inside measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
141E0001	SS-1.1 (1 drawer height: 193 mm)	100	450	450	240	540	595
141E0002	SS-1.2 (2 drawer height: 62 and 128 mm)	49/100	450	450	240	540	595
141E0003	SS-1.3 (3 drawer height: 62 mm)	49	450	450	240	540	595



Shelves

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141F0005	Shelf for VBB-1.10	30	900	302
141F0000	Shelf for VBB-1.15	30	1200	302
141F0001	Shelf for VBB-1.20	30	1700	302
141F0002	Shelf for VBB-1.25	30	2200	302
141F0030	Shelf for VBB-1.30, set af 2 pcs.	30	2600	302
141F0107	PreWo backplate 2000 mm	23	2000	288
141F0108	PreWo shelve 1500 mm	23	1500	288



Height adjustment

Item no.	Type:
141F0003	From 0-100 mm in 20 mm leaps, set of 2 pcs.
141F0003-3	From 0-100 mm in 20 mm leaps, set of 3 pcs. (for VBB-1.30)
402A0106	Adjusting screws (4 pcs. per table)




Cover plate

1,5 mm galvanized steel for worktops.

Item no. Type:

141T0010	VBB-1.15
141T0011	VBB-1.20
141T0012	VBB-1.25 (delivered without steel edges)




Cover plate

Cover plate in stainless steel with welded corners for worktops.

Item no. Type:

141T0310-193	VBB-1.15
141T0311-193	VBB-1.20
141T0312-193	VBB-1.25 (delivered without steel edges)



Jaw vice

Item no. Type:

013J9200	4" Record vice with movable jaws
-----------------	----------------------------------



Set of legs for Workbenches

with console for wheels, 2 fixed and 2 swivel castors with brakes. Ø 160 mm.

Item no. Type:


Item no.	Type:	H:
141F0016	Leg set for 1,0 to 2,5 m work bench with console for wheels	839
141F0016-3	Leg set to 3,0 m workbench with console for wheels	839



Tool panels for Workbenches

Hole 10 x 10 mm, center distance 34 mm.


Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141F0004	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	474	1460	16
141F0026	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	940	1460	16
141F0012	For 2,0 m workbench	474	1960	16
141F0043	For 2,0 m workbench	940	1960	16
141F0031	For 2,5 m workbench, 2 pcs. per table	474	1230	16
141F0044	For 2,5 m workbench, 2 pcs. per table	940	1230	16



PreWo tool panels for Workbenches

Hole 10 x 10 mm, center distance 20 mm.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141F1004	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	474	1460	16
141F1026	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	940	1460	16
141F1012	For 2,0 m workbench	474	1960	16
141F1043	For 2,0 m workbench	940	1960	16
141F1031	For 2,5 m workbench, 2 pcs. per table	474	1230	16
141F1044	For 2,5 m workbench, 2 pcs. per table	940	1230	16








Tool panels for Work benches with light


Incl. light fixture and socket with switch. Hole 10 x 10 mm.
Center distance 34 mm.

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
141T1500	1,5 m tool panel with light	700	1500	200
141T2000	2,0 m tool panel with light	700	2000	200
141T2500	2,5 m tool panel with light	700	2500	200



Fittings for tool panels and workbenches

Item no.	Type:	H:	
141F0032	Assembly kit for 1,5 and 2,0 m workbench	474	
141F0037	Assembly kit for 1,5 and 2,0 m workbench	940	
141F0033	Assembly kit for 2,5 m workbench	474	
141F0051	Assembly kit for 2,5 m workbench	940	
141F0035	Assembly kit for 3,0 m workbench	474	
141F0053	Assembly kit for 3,0 m workbench	940	
141F0056	Assembly kit for 1,5 and 2,0 m workbench with SS / VS cabinet	474	
141F0057	Assembly kit for 1,5 and 2,0 m workbench with SS / VS cabinet	940	
141F0058	Assembly kit for 2,5 and 3,0 m workbench with SS / VS cabinet	474	
141F0059	Assembly kit for 2,5 and 3,0 m workbench with SS / VS cabinet	940	
141F0063	Assembly kit for 1,5 and 2,0 m Ergo - Workbench	474	
141F0064	Assembly kit for 1,5 and 2,0 m Ergo - Workbench	940	
141F0065	Assembly kit for 2,5 m Ergo - Workbench	474	
141F0066	Assembly kit for 2,5 m Ergo - Workbench	940	



TOOL PANELS

With Blika's tool panels, every tool is in its place. The tool panels provide a quick overview of your tools and the work is made easy when the right tools are at hand.

Tool panels

Tool panels with hole 10 x 10 mm. Center distance 34 mm.

Outside measure in mm


Item no.	Type:	H:	W:	D:
141F0004	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	474	1460	16
141F0026	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	940	1460	16
141F0012	For 2,0 m workbench	474	1960	16
141F0043	For 2,0 m workbench	940	1960	16
141F0031	For 2,5 m workbench, 2 pcs. per table	474	1230	16
141F0044	For 2,5 m workbench, 2 pcs. per table	940	1230	16
141F0024	For VV-2 and VV-3 gable	674	496	10
141F0039	For wall mounting	948	960	16
141F0025	Tool panel	1460	474	16
141F0020	Tool panel	920	474	15
141F0019	Tool panel	920	400	15
141F0011	For MSG-3 right side	1460	400	17
141F0013	For MSG-3 central part	1460	400	14

PreWo tool panels hole 10 x 10 mm. Center distance 20 mm.

Item no.	Type:	H:	W:	D:
141F1004	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	474	1460	16
141F1026	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	940	1460	16
141F1012	For 2,0 m workbench	474	1960	16
141F1043	For 2,0 m workbench	940	1960	16
141F1031	For 2,5 m workbench 2 pcs. per table	474	1230	16
141F1044	For 2,5 m. workbench 2 pcs. per table	940	1230	16
141F1024	For VV-2 and VV-3 side	674	496	10
141F1039	For wall mounting	948	960	16
61000	Tool panel	471	951	13
61200	Tool panel	471	1951	13
65000	Tool panel incl. hook set 61201	951	951	13
66000	Tool panel	951	951	13
66200	Tool panel	951	1951	13
70000	Tool panel incl. hooks 4 pcs. 10010 and 4 pcs. 10011	44	600	14

Tool panels hole 10 x 10 mm. Center distance 38 mm.

Item no.	Type:	H:	W:	D:
141F2004	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	474	1460	16
141F2026	For 1,5 m workbench or 2 pcs. for 3,0 m workbench	940	1460	16
141F2012	For 2,0 m workbench	474	1960	16
141F2043	For 2,0 m workbench	940	1960	16
141F2031	For 2,5 m workbench, (2 pcs. per table)	474	1230	16
141F2044	For 2,5 m workbench, (2 pcs. per table)	940	1230	16
141F2024	For VV-2 and VV-3 side	674	496	10
141F2039	For wall mounting	948	960	16
141F2025	Tool panel	1460	474	16
141F2020	Tool panel	920	474	15
141F2019	Tool panel	920	400	15
141F2011	For MSG-3 right side	1460	400	17
141F2013	For MSG-3 central part	1460	400	14



STEEL HOOKS

For the tool panels you will find a wide range of hooks and mounts, providing a place for every tool.

Tool holders

Holders for tool panels, for holes 10 x 10 mm. Center distance 34 and 38 mm.

Holders

Dimensions in mm

Item no.	Type:	W:	L:	Ø:
1000 *	60	17	35	5
1001 *	60	17	40	5
1002 *	60	17	50	5
1003	60	17	60	5
1004	60	17	70	5



Single Hooks

Item no.	Type:	L:	Ø:
1015 *	70	30	4
1016 *	70	50	4
1017	70	100	4
1018	70	150	4
1019	70	200	4
1020	70	250	4
1025	70	50	6
1026	70	100	6
1027	70	150	6
1028	70	200	6
1029	70	250	6
1030	70	300	6



Single Hooks - 90° standard

Item no.	Type:	L:	Ø:
1031 *	70V	10	6
1032 *	70V	30	6
1034 *	70V	50	6



Single Hooks - 35° standard

Item no.	Type:	L:	Ø:
1035 *	71	50	6
1036	71	100	6
1037	71	150	6
1038	71	200	6
1041	71	300	6



* Fits elevation tool panel

Tool holders

Holders for tool panels, for holes 10 x 10 mm. Center distance 34 and 38 mm.

Double hooks - 90°

Dimensions in mm

Item no.	Type:	W:	L:	Ø:
1060 *	74	35	45	6
1063	74	35	100	6
1064	74	80	65	6



Double hooks - 35°

Item no.	Type:	W:	L:	Ø:
1055	73	35	45	6
1058	73	35	100	6
1065 *	75	13	50	4
1066	75	13	100	4
1067	75	13	150	4
1068	75	13	200	4
1069 *	75	18	35	4
1073 *	75	28	50	6
1074	75	28	100	6
1075	75	28	150	6
1076	75	28	200	6
1077	75	28	300	6



Snap-in hooks

Item no.	Type:	Ø:
1082 *	70	9
1083 *	70	13
1084 *	70	19
1085 *	70	25
1086	70	31
1087	80	37
1088	80	50



File or screwdriver hanger

Item no.	Type:
1119-3 *	For 3 screwdriver/files
1119-6 *	For 6 screwdriver/files
1119-9 *	For 9 screwdriver/files



Flat hooks

Item no.	Type:	Ø:
1140 *	99	25
1141	99	50
1142	99	65
1143	99	80



* Fits elevation tool panel

Tool holders

Holders for tool panels, for holes 10 x 10 mm. Center distance 34 and 38 mm.

Screwdriver holder

Dimensions in mm

Item no.	Type:	Ø:
1113-3-8 *	82	8
1113-6-8 *	82	8
1113-6-13	82	13



Drill holder

Item no.	Type:	Ø:
1114	84	2-8
1115	84	8-13



Fork and ring wrench holder

Item no.	Type:
1120 *	Holds 13 wrenches



Cone holder

Item no.	Type:
1116	Conus size 1
1117	Conus size 2
1118	Conus size 3



Topholder

Varenr.:	Type:	L:	Ø:
1125	90	50	4
1127	90	100	4



Rings

Item no.	Type:	Ø:
1130	95	50
1131	95	65
1132	95	85



Oil can stand

Item no.	Ø:
1135	85



Spraycan stand

Item no.	Ø:
1134	65



* Fits elevation tool panel

Tool holders

Impact-proof plastic box

Dimensions in mm

Item no.

H: W: D:

142T0019

47 79 109



Shelf for 5 boxes

Item no.

H: W: D:

142T0021

40 392 112



Plastic box type 9075

Item no.

H: W: D:

196C0004

75 105 170



Shelf for 5 plastic boxes

Item no.

H: W: D:

142T0022

39 525 11



Assorted sets of tool holders

Item no. Type:

196A0093 OS-93

Holders: 1 x 1000 and 1 x 1001, Hooks: 5 x 1015 and 10 x 1016, Double hooks: 2 x 1055, Snap-in hooks: 3 x 1083 and 3 x 1084, Screwdriver holder: 1 x 1113-6-13, Screwdriver/file holder: 1 x 1119-9, Oil can stand: 1 x 1135, Fork and ring wrench holder: 1 x 1120, Drill holder: 1 x 1114 and 1 x 1115. Plastic trays, 5 x 142T0019 and shelf 1 x 142T0021.

Total 31 holders + 5 plastic boxes

Item no. Type:

196A0094 OS-94

Hooks: 10 x 1015 and 10 x 1016, Snap-in hooks: 2 x 1083, 3 x 1084 and 3 x 1085, Screwdriver/file holder: 1 x 1119-9, Oil can stand: 1 x 1135, Fork and ring wrench holder: 1 x 1120

Total 31 items

Item no. Type:

196A0095 OS-95

Hooks: 10 x 1015 and 15 x 1016, Snap-in hooks: 2 x 1084 and 3 x 1085, Screwdriver holder: 1 x 1113-6-13, Screwdriver/ file holder: 1 x 1119-9

Total 32 items

Item no. Type:

196A0096 OS-96

Hooks: 10 x 1015 and 15 x 1016, Snap-in hooks: 2 x 1084 and 2 x 1085, Screwdriver holder: 1 x 1113-6-13

Total 30 items

* Fits elevation tool panel

PreWo hooks

PreWo holders for tool panels, for holes 10 x 10 mm. Center distance 20 mm.

Item no. Type:

10010 Plastic Hook 30 mm. Yellow



10011 Snap-in hooks. Yellow



10012 Top Holder. Yellow



10013 Round plastic container Ø 70 mm. D: 30 mm. Yellow



10014 Steel ring 80 mm. Yellow



10015 Oval holder 18 x 38 H: 60 mm. Yellow



20012 Universal holder. Yellow



20013 Steel hook L: 30 mm. Yellow



20016 Snap in hook large 13-23. Yellow



21121 Steel snap in hook large 22-35. Yellow



21210 Steel pipe clamps 30 mm. Black



40002 Steel hook L: 50 mm. Yellow



40003 Steel hook L: 80 mm. Yellow



PreWo holders for tool panels, for holes 10 x 10 mm. Center distance 20 mm.

Item no. Type:

40004 Steel hook L: 130 mm. Yellow



40005 Oval holder Ø 39 x 30 mm. Yellow



40006 Plastic box 55 x 86 x 90 mm. Yellow



40009 Plastic box 70 x 86 x 145 mm. Yellow



40011 Plastic box 115 x 170 x 205 mm. Yellow



40012 Steel hook L: 230 mm. Yellow



40013 Steel hook vertical 30 x 30 mm. Yellow



40016 Steel hook L: 100 mm. Yellow



81110 Tool holders for spray bottles. Black




81120 Steel shelf for spray bottles. Black



Item no. Type:

11203 Set of PreWo hooks 76. Yellow

Plastic Hook: 25 x 10010, Snap-in hooks: 10 x 10011 og 10 x 20016, Top Holder: 10 x 10012, Round plastic container: 2 x 10013, Steel Ring: 1 x 10014, Oval holder: 2 x 10015, Steel Hook: 4 x 20013, Steel Hook: 6 x 40002, Oval Holder: 4 x 40005 and Plastic Box: 2 x 40006



61201 Set of PreWo hooks 25. Yellow

Plastic Hook: 15 x 10010 and Snap-in hooks: 10 x 10011





TOOL CABINETS MS-1

Blika's fully welded tool cabinets are suitable for storing almost anything. They meet requirements for the storage of tools, machinery, overalls, documents and even nuts and bolts. Cabinets are available in a variety of sizes and layouts. MS-1 and MSG-3 are universal cabinets with lots of space and many fitting out possibilities. If less storage space is required, MS-0.5 in a smaller size should be chosen. Total capacity of 600 kg.

131V0001

Tool cabinet MS-1

Tool cabinets MS-1 H: 2000 W: 1000 D: 445 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0009	MS-1 prepared for shelves and tool panels	1870	920	425	2000	1000	445
131V0002	MS-1 incl. 1 galvanized shelf	1870	920	425	2000	1000	445
131V0001	MS-1 incl. 4 galvanized shelves	1870	920	425	2000	1000	445
131V0001-63	MS-1 incl. 4 galvanized shelves, Paskvillock and handle	1870	920	425	2000	1000	445
131V0040	MS-1 incl. 4 galvanized shelves and handle	1870	920	425	2000	1000	445
131V0015	MS-1 incl. 4 galvanized shelves and Ruko cylinder lock	1870	920	425	2000	1000	445
131V0015-U	MS-1 incl. 4 galvanized shelves, handle and separate cylinder lock	1870	920	425	2000	1000	445

Tool cabinet MS-1

Tool cabinets MS-1 H: 2000 W: 475 D: 445 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0095	MS-1 single door and 4 galvanized shelves	1870	395	425	2000	475	445

Tool cabinet MS-1

Tool cabinets MS-1 H: 2000 W: 1000 D: 600 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0014	MS-1 incl. 4 galvanized shelves	1870	920	580	2000	1000	600
131V0014-63	MS-1 incl. 4 galvanized shelves, Paskvillock and handle	1870	920	580	2000	1000	600



131V0007*



131V0072*


Tool cabinets MS-1 with tool panels

Type MS-1 H: 2000 W: 1000 D: 445 mm.

Item no:	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0007	MS-1 incl. 1 galvanized shelf and tool panels on all sides	1870	920	425	2000	1000	445
131V0064	MS-1 incl. 4 galvanized shelves and tool panels on all sides	1870	920	425	2000	1000	445
131V0072	MS-1 incl. 3 galvanized shelves, tool panels on all sides and plastic boxes: 4 pcs. 196C0003, 4 pcs. 196C0002 og 8 pcs. 196C0001	1870	920	425	2000	1000	445



131V0024



131V000114 (+ 4 stk. 431V0008)

Tool cabinets MS-1 with tool panels

Type MS-1 H: 2000 W: 1000 D: 445 mm.

Item no:	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0073	MS-1 incl. 2 galvanized shelves, tool panels and plastic boxes: 4 pcs. 196C0002 og 8 pcs. 196C0001	1870	920	425	2000	1000	445
131V0024	MS-1 incl. 9 galvanized shelves and plastic boxes: 36 pcs. 196C0003 og 3 pcs. 196C0005	1870	920	425	2000	1000	445
131V0074	MS-1 incl. 7 galv. shelves + plastic boxes 32 pcs. 196C0003	1870	920	425	2000	1000	445
131V0025	MS-1 incl. 9 galv. shelves + plastic boxes: 40 pcs. 196C0002	1870	920	425	2000	1000	445
131V0026	MS-1 incl. 9 galv. shelves + plastic boxes: 80 pcs. 196C0001	1870	920	425	2000	1000	445
131V0027	MS-1 incl. 9 galv. shelves + plastic boxes: 16 pcs. 196C0002 og 24 pcs. 196C0003	1870	920	425	2000	1000	445
131V000114	MS-1 prepared for shelves, and tool panels and transparent doors	1870	920	425	2000	1000	445

* (without tools)



131V0011



137I0003



131V0029

Tool cabinets MS-0.5

Type MS-0.5 H: 1075 W: 1000 D: 445 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0010	MS-0.5 prepared for shelves, and tool panels	945	920	425	1075	1000	445
131V0011	MS-0.5 incl. 2 galvanized shelves	945	920	425	1075	1000	445
131V0011-218	MS-0.5 incl. 2 galv. shelves and Eurolock type A099	945	920	425	1075	1000	445
131V0011-S	MS-0.5 incl. 2 galv. shelves and 80 mm. wheels	945	920	425	1075	1000	445
131V0012	MS-0.5 incl. tool panels on rear wall and sides	945	920	425	1075	1000	445
131V0013	MS-0.5 incl. 2 galvanized shelves and Ruko cylinder lock type 5207 (5-pin)	945	920	425	1075	1000	445
131V0013-U	MS-0.5 incl. 2 galvanized shelves and prepared for Ruko cylinder lock type 5207 (5-pin)	945	920	425	1075	1000	445
131V0028	MS-0.5 incl. 3 shelves and plastic boxes: 9 pcs. 196C0005	945	920	425	1075	1000	445
131V0029	MS-0.5 incl. 3 shelves and plastic boxes: 3 pcs. 196C0005 og 12 pcs. 196C0003	945	920	425	1075	1000	445



131V0020

TOOL CABINETS MSG-3

Heavy-duty tool cabinets with 4 adjustable galvanized shelves and hanger rod, with the possibility of tool panels on doors, sides and rear wall. The doors have external hinges, allowing maximum opening.

The tool cabinets are locked with a Paskvillock and comes with 2 keys.

Tool cabinets MSG-3

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0020	MSG-3 incl. 4 galvanized shelves and hanger rod with 2 double hooks.	1870	400/455	480	2000	1000	500
131V0021	MSG-3 incl 4 galvanized shelves, tool panels on door, 2 sides and rear wall. Left side 470 mm. Right side 530 mm.	1870	400/455	480	2000	1000	500
131V0037	MSG-3 incl. hanger rod with 2 double hooks.	1870	920	425	2000	1000	445

* (without tools)

Accessories

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
431V0008	Galvanized shelves for MS-1 and MS-0.5. Capability: 60 kg.	28	996	382
431V0065	Galvanized shelf for MS-1 og MS-0.5. Reinforced 200 kg capability. D: 445	29	996	382
431V1064	Galvanized shelf for MS-1 og MS-0.5. Reinforced 200 kg capability D: 600	29	996	567
431V0108	Galvanized shelf for MS-1 og MS-0.5 prepared for forberedt for divider	28	996	382
430E0036	Shelf divider for MS-1 og MS-0.5, small	120	355	1,3
430E0037	Shelf divider for MS-1 og MS-0.5, big	250	355	1,3
431V0045	Galvanized shelf for MSG-3 capability of 45 kg.	30	470	407
431V0030	Galvanized shelf for MS-1 D: 600 mm.	30	996	537
131T0001	Pull-out shelf incl. telescope extension for MS-1 og MS-0.5. Cap. of 35 kg.	78	995	385
131T0002	Pull-out drawer incl. telescope extension for MS-1 og MS-0.5. Cap. 35 kg.	79	995	378
131T0003	Pull-out shelf incl. telescope extension for MS-1 D: 600 mm. Cap. of 35 kg.	78	996	565
142T0080	Drawer division set in galvanized steel. 5 trays and 10 steel dividers			
131T0005	Drawer section with 6 drawers for MS (D: 445 mm.)	460	812	365
131T0006	Drawer section with 6 drawers for MS (D: 600 mm.)	460	812	465
141F0025	Tool panel for MS-1 rear wall, 2 per cabinet. Center distance 34 mm.	1460	470	16
141F0011	Tool panel for MS-1 og MSG-3 right side. Center distance 34 mm.	1460	400	17
141F0020	Tool panel for MS-0.5 rear wall 2 per cabinet. Center distance 34 mm.	920	474	15
141F0019	Tool panel for MS-1 og MS-0.5 sides. 2 per cabinet. Center distance 34 mm.	920	400	15
141F0013	Tool panel for MSG-3 middle divider. Center distance 34 mm.	1460	400	14
118D0045-166	Pipe plinth for MS-1 and MS-0.5 (D: 445) H: 300 mm	380	966	400
118D0070-167	Pipe plinth for MS-1 and MS-0.5 (D: 600) H: 300 mm	380	966	542
119A0019	Drying unit for installation	280	290	136

Plastic Boxes

Item no.	Type:	Number per shelf (MS-2)	Outside measure in mm		
			H:	W:	D:
196C0001	9111	8 pieces	100	115	400
196C0002	9113	4 pieces	100	230	400
196C0003	9068	4 pieces	150	230	400
196C0004	9075		75	105	170
196C0005	7903	3 pieces	165	300	400
196C0006	9074	6 pieces	130	145	250
196C0011	Side to side divider for type 196C0001 (9111)		100	115	
196C0012	Side to side divider for type 196C0002 (9113)		100	230	
196C0013	Side to side divider for type 196C0003 (9068)		137	230	
196C0014	Front to back divider for type 196C0003 (9068)		137	400	







131V0004

FLUID STORAGE CABINETS KS-1

Blika fluid storage cabinets are designed to provide safe and correct storage of chemicals. The cabinets are fully welded and offer intelligent features as, including galvanized shelves, 2 venting disc valves and the top of the cabinets are also equipped with an outlet for connection to an air extraction system.

Fluid storage cabinets KS-1

KS-1 H: 2000 x W: 1000 x D: 445 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0004	KS-1 with disc valve, exit for Ø 100 mm ventilation hose and 4 galvanized shelves	1870	920	425	2000	1000	445
131V0004-R	KS-1 with 4 galvanized shelves and Ruko lock	1870	920	425	2000	1000	445
131V0004-218	KS-1 with 4 galvanized shelves and Euro Lock code-lock type A099	1870	920	425	2000	1000	445
131V0096	KS-1 single door and 4 galvanized shelves	1870	395	425	2000	475	445



131V0031

Fluid storage cabinets KS-0.5

KS-0.5 H: 1075 x W: 1000 x D: 445 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0031	KS-0.5 with disc valve, exit for Ø 100 mm ventilation hose and 2 galvanized shelves	945	920	425	1075	1000	445



131V0076

Fluid storage cabinets KSG-3

KSG-3 H: 2000 x W: 1000 x D: 445 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131V0030	KSG-3 with coat hanger rail and disc valve, exit for Ø 100 mm ventilation hose. Excl. dryer unit	1870	920	425	2000	1000	445
131V0056	KSG-3 with coat hanger rail and disc valve, exit for Ø 100 mm ventilation hose. Depth 600 mm. Excl. dryer unit	1870	920	580	2000	1000	600
131V0076	Drying cabinet med valve, dryer unit and hanger rail	1870	920	425	2000	1000	445
131V0077	Drying cabinet med valve, dryer unit and hanger rail	1870	920	580	2000	1000	600



131O0001

Oil storage cabinets

H: 2030 x W: 1000 x D: 550 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
131O0001	Oil storage cabinet with 2 galvanized shelves and oil pan (60 l)	1745	920	525	2030	1000	550

OIL STORAGE CABINETS

Ventilated Oil cabinet with storage space for 8 x 20 + 2 x 60 liters or 16 x 20 liters. The cabinet is constructed with a collecting tank for a minimum of 60 liters and therefore complies with the requirements for the storage of oil products. The cabinet is fitted with 1 disc valve on the right side, extraction outlet at the top and 2 galvanized shelves. The cabinet is lockable.

Accessories

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
431V0015	Galvanized shelf for KS-1 and KS-0.5. Capability 60 kg.	30	995	405
431V0105	Galvanized shelf for KS-1 and KS-0.5 prepared for dividers	30	995	405
430E0030	Separating plate for KS-1 and KS-0.5 shelve, small	150	1,25	400
430E0020	Separating plate for KS-1 and KS-0.5 shelve, big	230	1,25	400
431V0065	Galvanized shelf for oil storage cabinet capacity 200 kg. D: 445 mm	29	996	382
400O0006	Large pan for oil cabinet (60 l)	177	908	525
118D0045-166	Pipe plinth for KS-1, KS-0.5 (D: 445 mm)	300	996	400
119A0019	Dryer unit for installation	280	290	136



BLIKA'S STORAGE RACK

Blika's storage racks with five movable shelves are available either as a basic module or as an extension module. The shelves have been prepared for partition plates, available in two heights for partitioning of the shelves. The rack is easy to mount using screws and a click system. The extra reinforcement in the top, bottom, on the back and in the "feet" at the bottom ensures a high stability. The rack has the same dimensions as Blika's popular chemical cabinet KS-1 or universal storage cabinet MS-1, ensuring that they can stand alongside the rack and complement each other. Load capacity: 200 kg per rack.

180A0002 + 180A0003 + 441X0055

Blika storage rack

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
180A0002	Blika storage rack, basic module	2000	1015	460
180A0003	Blika storage rack extension module	2000	1015	460
431V0008-91	Galvanized shelf for Blika storage rack, prepared for dividers	29	995	441
402A0070	Divider for Blika storage rack, small, 5 pcs.	120	420	1,5
402A0071	Divider for Blika storage rack, big, 5 pcs.	250	420	1,5
430E0016	Divider for Blika storage rack, small	120	420	1,5
430E0017	Divider for Blika storage rack, big	250	420	1,5
131T0002-91	Drawer Section for Blika storage rack	160	890	420
441X0055	Tool board for end cap of Blika storage rack	435	1998	1,25

COMPUTER CABINETS



143A0000



143B0000



143C0000

IT equipment must be protected from dust and dirt, and kept safely away from unauthorized persons. Blika computer cabinets are ideal for the secure storage of IT equipment, whether used daily or seldom. Cable entries, built-in ventilation and ergonomic design are integrated features of Blika computer cabinets.

Computer cabinets

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
143A0000	CS-1 - with fan, pull-out shelf for keyboard and mouse, adjustable shelf and power supply panel with 5 outlets	1600	615	600
143B0000	CS-2 - Table / wall-mounted model. With fan, pull-out shelf for keyboard and mouse, adjustable shelf and power supply panel with 5 outlets	831	615	600
143C0000	CS-4 with pull-out shelf for laptop, removable shelf and power supply panel with 4 outlets	970	615	600

Accessories

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
143T0001	Printer Pull-out shelf with 100% exhaust for CS-1 and CS-4			
143T0002	Adjustable shelf for CS-1 and CS-4	15	611	550
143T0000	Closed plinth for CS-1 and CS-4 (not mounted)	130		
143T0003	CS wheeled base plate 4 swivel wheels, 2 with brakes	100	605	585

TOOL CABINETS AND DESKTOP

These small storage units take up little space, yet provide intelligent storage for many of the things that are otherwise difficult to organise. Blika wall cabinets have many uses, from tool storage to document filing. The range is modular, providing many possibilities for individual adaptation.



142T0010 - 142H2000 (+ 1 pcs. 142T0003)



133A0000

Tool cabinets and desktop

Item no.	Type:	Utility/outside measure in mm		
		H:	W:	D:
133A0000	VS-3 incl. 1 galvanized and adjustable shelf and 1 drawer	840/900	510/600	/500
142H2000	VS-2.2 incl. 2 galvanized and adjustable shelves	960/1000	450/539	/561

Accessories

Item no.	Type:	Utility/outside measure in mm		
		H:	W:	D:
142T0000	Closed plinth for VS-2.2	/130		
118D0070	Pipe plinth for VS-2.2, basic module	/370		
118D0071	Pipe plinth for VS-2.2, extension module	/370		
142T0010	SP-1 desktop with cylinder lock for VS-2.2	100-235/250	515/539	/561
433A0107	Galvanized shelf for VS-3		/574	/465
440B0010	Galvanized shelf for VS-2.2		/534	/523

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
142T0003	Drawer section incl. 1 drawer for cabinet VS-2.2	122	415	378	125	535	424
142T0012	Drawer section incl. 2 drawer for cabinet VS-2.2	122	415	378	253	535	424
142T0013	Drawer section incl. 3 drawer for cabinet VS-2.2	122	415	378	382	535	424
142T0014	Pull-out shelf for VS-2.2	40	411	535			
013N9004	Rubber mat with mount glue adhere for VS-2.2 top						
142T0004	Wheeled base plate for VS-2.2, 4 swivel wheels, 2 with brakes				120	520	545


135A0010

135A0011 (+ 2 pcs. of 435A0014 and 16 pcs. of 196C0006)

TOOL AND RING BINDER CABINETS



These small storage units take up little space, yet provide intelligent storage for many of the things that are otherwise difficult to organise. Blika wall cabinets have many uses, from tool storage to document filing. The range is modular, providing many possibilities for individual adaptation.

Tool and ring binder cabinets

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
135A0010	VRS-1 prepared for wall mounting	400	670	350
135A0011	VRS-2 prepared for wall mounting, incl. 1 adjustable shelf	700	670	350
435A0014	Shelf for VRS-1 and VRS-2	30	668	300

TOOL CABINETS


Fully welded cabinet prepared for wall mounting and equipped with tool panel on rear wall, sides and door.


135A0000 *

135A0001 *

Tool cabinets

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
135A0000	HVS-1 prepared for wall mounting	700	800	250
135A0001	HVS-2 prepared for wall mounting, with double walled doors	700	800	250
435A0013	Shelf for HVS-1 and HVS-2	30	798	217

* (Without tools)



20000

PREWO TOOL CABINETS


Flexible storage solution with tool panels on all sides in 2 depths and lockable with cylinder lock.

PreWo tool cabinets

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
20000	PreWo wall cabinet, depth 235 mm. Hole 10 x 10 mm. Center distance 20 mm incl. hook set 79 (11203)	890	620	235
20100	PreWo wall cabinet depth 235 mm, tool board on the rear incl. hook set 25 (61201) Hole 10 x 10 mm. Center distance 20 mm	890	620	235
26000	PreWo wall cabinet, depth 435 mm. Hole 10 x 10 mm. Center distance 20 mm	890	620	435
26500	PreWo wall cabinet with access from both sides. Hole 10 x 10 mm. Center distance 20 mm	890	620	435

Accessories

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
20530	PreWo shelf for wall cabinet depth 235 mm	15	615	215
20550	PreWo shelf for wall cabinet depth 435 mm	27	617	387



144D0066

STEEL BOLT RACKS

Welded Steel bolt racks with 20, 24, 36, 48 or 63 rooms. Available in two versions - either with closed top or with practical space-efficient use of the shelf top. The latter is also designed with flexible room size. Prepared for wall mounting.

Steel Bolt Racks

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
144D0045-F	Steel Bolt Rack 45 - 20 rooms with closed top	650	500	160
144D0046	Steel Bolt Rack 46 - 24 rooms with open top	650	500	160
144D0066	Steel Bolt Rack 66 - 36 rooms with open top	650	750	160
144D0086	Steel Bolt Rack 86 - 48 rooms with open top	652	1000	160
144D0048	Steel Bolt Rack 97 - 63 rooms with open top	770	1120	160



132A0001



132A0004

WASTE BINS

Fully welded waste bin with flat lid or with swing top. The bin is designed for standard 80 litre plastic bin liners. Also available with castors.

Waste bins AB-93

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
132A0001	Waste bin AB-93 with flat lid	710	321	402/445
132A0002	Waste bin AB-93 with flat lid and castors	758	321	402/445
132A0003	Waste bin AB-93 with swing top	859	323	428
132A0004	Waste bin AB-93 with swing top and castors	904	323	428

Accessories

Item no.	Type:
132A0006	Set of castors for AB-93 - retrofit. Wheels Ø 50 mm.



132A0007

FIREPROOF WASTE CONTAINER

Fully welded and fireproof waste container with flat lid. For safe and effective storage of combustible waste. Capacity 65 liters.

Fireproof waste container

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
132A0007	Waste bin - fire proof	634	410	313



OFFICE TROLLEY

Blika's Office Trolley is a flexible, mobile and space-saving solution for the staff room. An ideal working height ensure the teachers their private spacious workplace and contributes to a tidy environment.

Blika's Office Trolley is the teachers' individual backpack that can be adapted to the desired colours and needs of the individual school. So let your imagination loose in the staff room for effective learning preparation with Blika's Office Trolley.

Dimensions:

H: 1030 mm

W: 425 mm

D: 425 mm

Can be customised on request, contact Blika for further information.



122A5019

FILING CABINETS



120T0001



121U0000

Blika filing cabinets fulfill demands for safe storage of files. The cabinets are available with 4 adjustable shelves (adjustable without tools). Shelves are fitted without loose shelf supports. Shelf capacity: 60 kg. We can supply a wide range of accessories that was developed for use in the office everyday, for example; Full extension pull out shelf and adjustable painted clip-on wire dividers.

Filing cabinets

Filing cabinets AS H: 2000 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
120T0001	AS-1 with 4 shelves	1870	855	390	2000	1000	410
121U0000	AS-2 with 4 shelves and folding doors	1870	1055	460	2000	1200	480



120T0011

Filing cabinets AS-0.5

Filing cabinets AS-0.5 H: 1075 B: 1000 D: 410 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
120T0011	AS-2 with 2 shelves	945	855	390	1075	1000	410



120T0020

Filing cabinets ASG-3 H:2000 W: 1000 D: 500 MM.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
120T0020	ASG-3 with 4 galvanized shelves and hanging rail	1870	400/455	480	2000	1000	500

DRAWER CABINET



122A4004

Blika drawer cabinet with 4 large drawers with space for hanging folders - offer overview and system in a busy life.

Drawer cabinet

Drawer cabinet AS H: 1235 x W: 420 x D: 600 mm.

Item no.	Type:	Utility measure in mm			Outside measure in mm		
		H:	W:	D:	H:	W:	D:
122A4004	AS-drawer cabinet	235	325	558	1235	420	600

Accessories

Item no.	Type:	Outside measure in mm		
		H:	W:	D:
420T0119	Shelf for AS-1 og AS-0.5. Capability 60 kg.	29	996	382
421U0019	Shelf for AS-2. Capability 60 kg.	30	1196	452
431V0045	Shelf for ASG-3 galvanized. Capability 45 kg.	30	470	407
128T0006	Pull-out cradle for AS-1 og AS-0.5. Capability 60 kg.	130	994	352
128U0006	Pull-out cradle for AS-2. Capability 60 kg.	95	1198	355
128T0007	Pull-out shelf for AS-1 og AS-0.5. Capability 60 kg.	104	996	381
128U0007	Pull-out shelf for AS-2. Capability 60 kg.	104	1194	442
128T0005	Book divider for AS-1, AS-0.5 and AS-2	170	1	359
128T0003	Book divider for AS-1, AS-0.5 and AS-2	360	1	359
128T0004	Book end for AS-1, AS-0.5 and AS-2	177	330	40
119A0019	Dryer unit for installation	280	290	136



VISION LOCKERS

Blika's Vision-range consists of attractive and practical lockers, in whose development as much thought was given to functionality as to design. Innovative, intelligent systems capable of meeting any storage needs while making an aesthetic, well-thought-out contribution to the interior design.

The Vision-range is extremely flexible, with many modules to choose from, making it easy to design the perfect solution.

Contact Blika for further informations.



Birch



Beech



Walnut



Wenge

CHARGING LOCKERS




PC-210

Schools, colleges and universities generally contain much IT equipment, and as the premises are used by many people, safe storage is of prime importance. The equipment must, however, be ready for use at all times. Blika has therefore designed a storage locker with battery charging facilities for laptop computers and other mobile electronic equipment. Built-in power sockets allow the equipment to be charged during storage. An intelligent storage system, which can be used to store equipment owned by the school or college or by the pupils and students themselves.

Each box contains power sockets that meets the latest requirements and there is plenty of room for laptop computer, mobile phone, tablet and a small bag. The reinforced single-walled doors are equipped with sturdy door stops. Lockers are available with flat or sloping tops and can be equipped with a variety of locks.


Charging Lockers

with power outlets in each box



Cabinet height with closed plinth: Flat top 1860 mm and sloping top 2060 mm. Depth 550 mm.


Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	190 x 330	190 x 330	190 x 330
Type PC flat top	PC-18	PC-28	PC-38
Type PCS sloping top	PCS-18	PCS-28	PCS-38



Cabinet height with closed plinth: Flat top 1600 mm and sloping top 1800 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	127 x 330	127 x 330	127 x 330
Type PC flat top	PC-110	PC-210	PC-310
Type PCS sloping top	PCS-110	PCS-210	PCS-310

Available without power outlets and in depth 400 mm.
See page 79 for colour options.



Cabinet height with closed plinth: Flat top 1860 mm and sloping top 2060 mm. Depth 550 mm.


Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	105 x 330	105 x 330	105 x 330
Type PC flat top	PC-114	PC-214	PC-314
Type PCS sloping top	PCS-114	PCS-214	PCS-314



PC-14

COMPUTER TROLLEY

A practical trolley for storage and charging of totally 14 laptops. The trolley is available with pull-out or fixed shelves on request. It can also be fitted with a closed plinth for stationary use. A 3-cylinder lock and ventilation in both front and rear contribute to ensuring safe storage.



Cabinet height without legs: Flat top 1305 mm. Depth 600 mm.

Width of cabinet mm	600
Column width mm	600
Internal dimensions HxW mm	60 x 460
Type PC-14	PC-14

Available without power outlets and in depth 400 mm.
See page 79 for colour options.



THE MODERN WARDROBE

Blika's wardrobe solutions are designed to withstand everyday use. This is functional quality and intelligent storage, that is designed to be used in all environments imaginable.

Whether in fitness centres, schools, golf clubs, a corporate wardrobe or in an industrial changing room, Blika's wardrobe solutions will always be a positive element in the overall visual impression. It is possible to build a storage solution that is not only functional and durable, but also aesthetically pleasing and suitable for the environment. Individual adaptation is possible with a wide and modern range of colours and surfaces.




G LOCKERS



G41

Blika lockers are tested over the years and continually adjusted, which means they are made very solid, functional and with long lifetime. Practical ventilation openings in the upper part of the locker are not only functional, but also add extra dimension to design of the locker. The doors are made from two plates. So called double doors are with rubber stoppers for silent closing and with massive stabilisation door stop and with inner hinges.

Lockers G and GS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	1660 x 230	1660 x 330	1660 x 230	1660 x 330	1660 x 230	1660 x 330	1660 x 230
Type G flat top	G 11-3055	G 11-4055	G 21-3055	G 21-4055	G 31-3055	G 31-4055	G 41-3055
Type GS sloping top	GS 11-3055	GS 11-4055	GS 21-3055	GS 21-4055	GS 31-3055	GS 31-4055	GS 41-3055

See page 79 for colour options.


GD LOCKERS



GDS11

A double cabinet for one person with 100% separate spaces that allows an intelligent storage of civilian and work clothes. There are separate locks for each room and several options for the undercarriage. An intelligent and robust system that provides spacious and individual storage and meets the requirements of the Labour Inspection for separate storage.

Lockers GD and GDS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	500	600	800	1000	1200
Column width mm	500	600	800	500	600
Internal dimensions HxW mm	1660 x 180	1660 x 230	1660 x 330	1660 x 180	1660 x 230
Type GD flat top	GD 11-5055	GD 11-6055	GD 11-8055	GD 21-5055	GD 21-6055
Type GDS sloping top	GDS 11-5055	GDS 11-6055	GDS 11-8055	GDS 21-5055	GDS 21-6055

See page 79 for colour options.



GDT LOCKERS



GDT11

Double locker for one person with 2 separate compartments and continuous hat shelf. The locker provides lots of space for well-organized storage. Ideal for hotels and restaurants where work clothes must be kept separate from civil clothes. The lock opens both reinforced single-walled doors.

Lockers GDT and GDTS




Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 500 mm.

Width of cabinet mm	500	600	800	1000	1200
Column width mm	500	600	800	500	600
Internal dimensions HxW mm	1660 x 200/200	1660 x 250/250	1660 x 350/350	1660 x 200/200	1660 x 250/250
Type GDT flat top	GDT 11-5050	GDT 11-6050	GDT 11-8050	GDT 21-5050	GDT 21-6050
Type GDTS sloping top	GDTS 11-5050	GDTS 11-6050	GDTS 11-8050	GDTS 21-5050	GDTS 21-6050

See page 79 for colour options.




GB BOX LOCKERS



GB33



Wardrobe boxes are ideal for many applications, as they provide many opportunities for separate and locked storage in one solution. The model with 2-4 boxes in height comes with double plate doors. The model with 5-6 boxes in height comes with single plate doors. Wardrobe boxes are particularly suitable as personnel boxes. Other door materials, such as Lexan and acrylic, are optional.

Box lockers GB and GBS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.



Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230
Type GB flat top	GB 12-3055	GB 12-4055	GB 22-3055	GB 22-4055	GB 32-3055	GB 32-4055	GB 42-3055
Type GBS sloping top	GBS 12-3055	GBS 12-4055	GBS 22-3055	GBS 22-4055	GBS 32-3055	GBS 32-4055	GBS 42-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.


Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	500 x 230	500 x 330	500 x 230	500 x 330	500 x 230	500 x 330	500 x 230
Type GB flat top	GB 13-3055	GB 13-4055	GB 23-3055	GB 23-4055	GB 33-3055	GB 33-4055	GB 43-3055
Type GBS sloping top	GBS 13-3055	GBS 13-4055	GBS 23-3055	GBS 23-4055	GBS 33-3055	GBS 33-4055	GBS 43-3055

See page 79 for colour options.




Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	400 x 230	400 x 330	400 x 230	400 x 330	400 x 230	400 x 330	400 x 230
Type GB flat top	GB 14-3055	GB 14-4055	GB 24-3055	GB 24-4055	GB 34-3055	GB 34-4055	GB 44-3055
Type GBS sloping top	GBS 14-3055	GBS 14-4055	GBS 24-3055	GBS 24-4055	GBS 34-3055	GBS 34-4055	GBS 44-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	320 x 230	320 x 330	320 x 230	320 x 330	320 x 230	320 x 330	320 x 230
Type GB flat top	GB 15-3055	GB 15-4055	GB 25-3055	GB 25-4055	GB 35-3055	GB 35-4055	GB 45-3055
Type GBS sloping top	GBS 15-3055	GBS 15-4055	GBS 25-3055	GBS 25-4055	GBS 35-3055	GBS 35-4055	GBS 45-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	250 x 230	250 x 330	250 x 230	250 x 330	250 x 230	250 x 330	250 x 230
Type GB flat top	GB 16-3055	GB 16-4055	GB 26-3055	GB 26-4055	GB 36-3055	GB 36-4055	GB 46-3055
Type GBS sloping top	GBS 16-3055	GBS 16-4055	GBS 26-3055	GBS 26-4055	GBS 36-3055	GBS 36-4055	GBS 46-3055

See page 79 for colour options.

CHANGING ROOM LOCKER



GB15

Box locker unit with integrated coat rail, shoe rack and hat shelf. The single-column box locker shown here has a closed plinth and a flat top. The individual boxes are equipped with Ruko cylinder locks.

Accessories

	Length mm		
Hat and shoe rack	900	1200	1500
Free standing support			






GBF42

GBF STUDENT LOCKERS

Wardrobe boxes are ideal for many applications, as they provide many opportunities for separate and locked storage in one solution. The model with 2-5 boxes in height comes with double plate doors. The GBF cabinets are extra reinforced with an extended shelf and door stop. Other door materials, such as Lexan and acrylic, are optional.


Student lockers GBF and GBFS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.


Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230
Type GBF flat top	GBF 12-3055	GBF 12-4055	GBF 22-3055	GBF 22-4055	GBF 32-3055	GBF 32-4055	GBF 42-3055
Type GBFS sloping top	GBFS 12-3055	GBFS 12-4055	GBFS 22-3055	GBFS 22-4055	GBFS 32-3055	GBFS 32-4055	GBFS 42-3055

See page 79 for colour options.



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	500 x 230	500 x 330	500 x 230	500 x 330	500 x 230	500 x 330	500 x 230
Type GBF flat top	GBF 13-3055	GBF 13-4055	GBF 23-3055	GBF 23-4055	GBF 33-3055	GBF 33-4055	GBF 43-3055
Type GBFS sloping top	GBFS 13-3055	GBFS 13-4055	GBFS 23-3055	GBFS 23-4055	GBFS 33-3055	GBFS 33-4055	GBFS 43-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	400 x 230	400 x 330	400 x 230	400 x 330	400 x 230	400 x 330	400 x 230
Type GBF flat top	GBF 14-3055	GBF 14-4055	GBF 24-3055	GBF 24-4055	GBF 34-3055	GBF 34-4055	GBF 44-3055
Type GBFS sloping top	GBFS 14-3055	GBFS 14-4055	GBFS 24-3055	GBFS 24-4055	GBFS 34-3055	GBFS 34-4055	GBFS 44-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	320 x 230	320 x 330	320 x 230	320 x 330	320 x 230	320 x 330	320 x 230
Type GBF flat top	GBF 15-3055	GBF 15-4055	GBF 25-3055	GBF 25-4055	GBF 35-3055	GBF 35-4055	GBF 45-3055
Type GBFS sloping top	GBFS 15-3055	GBFS 15-4055	GBFS 25-3055	GBFS 25-4055	GBFS 35-3055	GBFS 35-4055	GBFS 45-3055

See page 79 for colour options.

EBF STUDENT LOCKERS






EB34

Blika's range of specially designed student lockers is ideal for schools and colleges, where individual storage space is required for pupils and students. No matter whether books, clothes or valuables are to be stored, we can provide the perfect solution. Our student lockers are built to last and to maintain their attractive appearance. They are robust solutions capable of withstanding harsh treatment – day in day out. Vandal-proof doors and the possibility of choosing self-closing doors are just two examples of the intelligence built into Blika student lockers.




The generous box height provides ample storage space and excellent overview of box contents, making it easy to reach the various items stored whether they are books, clothing or anything else.

Student lockers EBF and EBFS



Cabinet height without legs: Flat top 900 mm and sloping top 1100 mm. Depth 550 mm.




Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230
Type EBF flat top	EBF 11-305590	EBF 11-405590	EBF 21-305590	EBF 21-405590	EBF 31-305590	EBF 31-405590	EBF 41-305590
Type EBFS sloping top	EBFS 11-305590	EBFS 11-405590	EBFS 21-305590	EBFS 21-405590	EBFS 31-305590	EBFS 31-405590	EBFS 41-305590



Cabinet height without legs: Flat top 900 mm and sloping top 1100 mm. Depth 550 mm.





Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230
Type EBF flat top	EBF 12-305590	EBF 12-405590	EBF 22-305590	EBF 22-405590	EBF 32-305590	EBF 32-405590	EBF 42-305590
Type EBFS sloping top	EBFS 12-305590	EBFS 12-405590	EBFS 22-305590	EBFS 22-405590	EBFS 32-305590	EBFS 32-405590	EBFS 42-305590

See page 79 for colour options.







Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230	800 x 330	800 x 230
Type EBF flat top	EBF 12-3055	EBF 12-4055	EBF 22-3055	EBF 22-4055	EBF 32-3055	EBF 32-4055	EBF 42-3055
Type EBFS sloping top	EBFS 12-3055	EBFS 12-4055	EBFS 22-3055	EBFS 22-4055	EBFS 32-3055	EBFS 32-4055	EBFS 42-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	500 x 230	500 x 330	500 x 230	500 x 330	500 x 230	500 x 330	500 x 230
Type EBF flat top	EBF 13-3055	EBF 13-4055	EBF 23-3055	EBF 23-4055	EBF 33-3055	EBF 33-4055	EBF 43-3055
Type EBFS sloping top	EBFS 13-3055	EBFS 13-4055	EBFS 23-3055	EBFS 23-4055	EBFS 33-3055	EBFS 33-4055	EBFS 43-3055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	400 x 230	400 x 330	400 x 230	400 x 330	400 x 230	400 x 330	400 x 230
Type EBF flat top	EBF 14-3055	EBF 14-4055	EBF 24-3055	EBF 24-4055	EBF 34-3055	EBF 34-4055	EBF 44-3055
Type EBFS sloping top	EBFS 14-3055	EBFS 14-4055	EBFS 24-3055	EBFS 24-4055	EBFS 34-3055	EBFS 34-4055	EBFS 44-3055

See page 79 for colour options.



GZ LOCKERS

Space-saving, Z-shaped double locker, providing increased storage height in all four compartments. Ventilation holes at top and perforated base ensure optimum ventilation. Can be equipped with various lock types.

GZ22

Lockers GZ and GZS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	300	400	600	800	900	1200	1200
Column width mm	300	400	300	400	300	400	300
Internal dimensions HxW mm	385/1250 x 230/93	395/1250 x 330/150	385/1250 x 230/93	395/1250 x 330/150	385/1250 x 230/93	395/1250 x 330/150	385/1250 x 230/93
Type GZ flat top	GZ 12-3055	GZ 12-4055	GZ 22-3055	GZ 22-4055	GZ 32-3055	GZ 32-4055	GZ 42-3055
Type GZS sloping top	GZS 12-3055	GZS 12-4055	GZS 22-3055	GZS 22-4055	GZS 32-3055	GZS 32-4055	GZS 42-3055




PF218

Post box lockers PF and PFS

PF POST BOX LOCKERS

Double-column locker with 2 x 18 separate postboxes, each with separate lock and letter slot. The locker has central Ruko master locks, providing easy access to all boxes. Shown here with 120 mm closed plinth and flat top



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 400 mm.

Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	66 x 280	66 x 280	66 x 280
Type PF flat top	PF 118-4040	PF 218-4040	PF 318-4040
Type PFS sloping top	PFS 118-4040	PFS 218-4040	PFS 318-4040

See page 79 for colour options.




RS35

RS GARMENT LOCKERS


Clean clothes locker with personal boxes for each employee. Clean clothes are accesable also with central door with Ruko lock. Central door allows an easy access to all compartments.

Garment lockers RS and RSS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200	400	800	1200
Column width mm	400	400	400	400	400	400
Internal dimensions HxW mm	300 x 306	300 x 306	300 x 306	247 x 306	247 x 306	247 x 306
Type RS flat top	RS 15-4055	RS 25-4055	RS 35-4055	RS 16-4055	RS 26-4055	RS 36-4055
Type RSS sloping top	RSS 15-4055	RSS 25-4055	RSS 35-4055	RSS 16-4055	RSS 26-4055	RSS 36-4055



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200	400	800	1200
Column width mm	400	400	400	400	400	400
Internal dimensions HxW mm	180 x 306	180 x 306	180 x 306	141 x 306	141 x 306	141 x 306
Type RS flat top	RS 18-4055	RS 28-4055	RS 38-4055	RS 110-4055	RS 210-4055	RS 310-4055
Type RSS sloping top	RSS 18-4055	RSS 28-4055	RSS 38-4055	RSS 110-4055	RSS 210-4055	RSS 310-4055

See page 79 for colour options.


ST SOILED GARMENT LOCKERS



Laundry locker for collecting and storing soiled work clothes. Practical rubber-covered hatch for easy clothes insertion. The locker is equipped with a pull-out rail for standard laundry sacks, facilitating collection.

ST31

Soiled garment lockers ST and STS



Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	1660 x 330	1660 x 330	1660 x 330
Type ST flat top	ST 11-4055	ST 21-4055	ST 31-4055
Type STS sloping top	STS 11-4055	STS 21-4055	STS 31-4055



BS21

Firemans lockers BS and BSS

Cabinet height without legs: Flat top 1740 mm and sloping top 1940 mm. Depth 550 mm.

Width of cabinet mm	400	800	1200
Column width mm	400	400	400
Internal dimensions HxW mm	1660 x 330	1660 x 330	1660 x 330
Type BS flat top	BS 11-4055	BS 21-4055	BS 31-4055
Type BSS sloping top	BSS 11-4055	BSS 21-4055	BSS 31-4055

BS FIREMANS LOCKERS

Specially designed locker for firemen's clothing, with helmet holder on top and no door for easy access. Many possibilities for individual adaptation to specific requirements. Please contact us for further information on customising your storage solution.

See page 79 for colour options.


MB MINI BOX

Locker system with 5-25 mini boxes, prepared for wall mounting. Shown here MB 25 locker system with 10 mini boxes and Ruko cylinder locks.



MB25

Mini Box MB



Cabinet H: 750 x D: 200 mm

Cabinet width mm	200	400	600	800	1000
Column width mm	200	200	200	200	200
Inside dimensions HxW mm	116 x 130	116 x 130	116 x 130	116 x 130	116 x 130
Type MB straight top	MB 15-2020	MB 25-2020	MB 35-2020	MB 45-2020	MB 55-2020



MB11

Single mini box for mounting in cupboard or direct on wall.

Mini box

Cabinet H: 200 x D: 250 mm



Cabinet width mm	250
Column width mm	250
Inside dimensions HxW mm	166 x 180
Type MB	MB 11-252520

See page 79 for colour options.



MEDICINE CABINET



A simple medicine cabinet for in-cabinet or wall mounting. The cabinet is fitted with a removable shelf.

119C0032-35

Medicine cabinet



Cabinet H: 365 x W: 290 x D: 200 mm

Cabinet width mm	290
Column width mm	290
Inside dimensions HxW mm	340 x 220



KEY CABINET

Practical, compact cabinet for safe storage of keys. The cabinet is supplied with built-in bracket, separate sheet of numbers for 100 keys and cylinder lock with 2 keys.

014A0004

Key cabinet for 100 keys

Cabinet H:300 x W:245 x D:78 mm

Cabinet width mm	245
Column width mm	245
Inside dimensions HxW mm	296 x 226

See page 79 for colour options.



GOLF LOCKERS

Blika has designed series of storage lockers specifically for golf equipment, ensuring the costly items are safely and appropriately stored when not in use. Blika golf lockers are designed to provide plenty of room in large lockable compartments with masses of ventilation, so that any dampness or moisture quickly evaporates.

Golf lockers can either be used individually or be stacked in rows to cover golf club storage needs. Can be customized on request, contact Blika for further information.



A27

BENCHES AND CLOTHES RACK

Blika's bench systems are designed to either stand alone or be combined with Blika lockers to provide complete changing room solutions. The benches have a discreet design which harmonises naturally with other Blika products.

- Standard: seat and back in solid varnished pine
- Other seat and back materials are available
- Double hooks, per 200 mm clothes rack
- Standard lengths: 900, 1000, 1200, 1600, 1800, 2000 and 2400 mm



Type A bench

Single bench type A with back rest and hooks or type A without back rest and hooks.
Recommended seat height: 417 mm, D: 365 mm. Length according to the above standard lengths

Type B bench

Single bench with seats of lacquered pine wood. H: 417 mm, D: 365 mm. Length according to the above standard lengths

Type C bench

Single bench with back rest and seats of lacquered pine wood.
H: 417/725 mm, D: 415 mm. Length according to the above standard lengths

Type D bench

Double sided bench with back rest and seats of lacquered pine wood.
H: 417/725 mm, D: 795 mm. Length according to the above standard lengths

Type E bench

Single bench with back rest, seats of lacquered pine wood and hooks.
H: 417/1570 mm, D: 415 mm. Length according to the above standard lengths


Type F bench

Double sided bench with back rest, seats of lacquered pine wood and hooks.
H: 417/1570 mm, D: 795 mm. Length according to the above standard lengths

Clothes rack

With double hooks, per 200 mm clothes rack. Available in 12 standard colours

See page 79 for colour options.






105A0011

Clothes rack

- Open children's wardrobe for 5 children
- 5 rooms, clothes rack, shoe rack and bottom grate
- H: 1200 x W: 900 x D: 250 mm without legs

CHILDREN'S WARDROBE

Blika's children's wardrobe in steel accommodates up to 5 children per module. Tubular legs can be purchased, but the modules must always be fixed to the wall. The cabinets are fully welded for an extremely robust construction, which is guaranteed to withstand everyday use.


105A0011

118M1001



- Single wardrobe rack
- H: 1974 x W: 1000 x D: 377,5 mm
- Wallmounted
- With shoe shelf and hat shelf with double hooks
- Clothes rack with 9 double hooks
- Extra height for longer uniforms, for example overalls

WARDROBE RACKS


Blika's wardrobe racks are designed to stand freely in a room or for wall mounting.

There is plenty of room for shoes and many double hooks for clothes. Wardrobe racks are made with extra height for longer working uniforms.

- Double wardrobe rack
- H: 1949 x W: 1000 x D: 720 mm
- Standing alone
- With shoe shelf and hat shelf with double hooks
- Clothes rack with 9 double hooks
- Extra height for longer uniforms, for example overalls


118M1002

118M1001

See page 79 for colour options.



INSTITUTIONAL FURNITURE

Blika's flexible children's wardrobe is designed for growing children, whether at kindergarten, school or leisure. The durable modules are mounted directly on wall tracks, and you can easily add a parcel shelf or move the rack up or down to suit the child's height. Furthermore, individual adjustments are possible, e.g. shoe racks, benches, coat hooks or hat racks.

Contact Blika for more information on Blika's flexible children's wardrobe.

Hat rack



Double hat rack




Shelf



Coat hooks



Shoe rack with bench



Shoe rack



See page 79 for colour options.



Standard equipment and accessories

■ Standard ○ Accessories

	Charging lockers	G/GS	GD/GDS	GDT/GDTS	GB/GBS	GBF/GBFS	EBF/EBFS	GZ/GZS	RS/RSS	ST/STS	PF	MB	VISION	Golf lockers
 Straight top	■	■ (G)	■ (GD)	■ (GDT)	■ (GB)	■ (GBF)	■ (EBF)	■ (GZ)	■ (RS)	■ (ST)	■	■	■	■
 Sloping top 20% slope - 200 mm higher rear edge	○	■ (GS)	■ (GDS)	■ (GDTS)	■ (GBS)	■ (GBFS)	■ (EBFS)	■ (GZS)	■ (RSS)	■ (STS)	○			
 Without legs	■	■	■	■	■	■	■	■	■	■	■	■	■	■
 Plate legs H: 120 mm	○	○	○	○	○	○	○	○	○	○	○			
 Galvanized Closed plinth H: 120 mm	○	○	○	○	○	○	○	○	○	○	○		○	
 Pipe plinth H: 350 mm	○	○	○	○	○	○	○	○	○	○				
 Pipe plinth w/ bench H: 350 mm, Bench D: 300 mm	○	○	○	○	○	○	○	○	○	○				
 Wall hanging	○	○	○	○	○	○	○	○	○	○		■	○	○
 Wall hanging with bench D: 300 mm	○	○	○	○	○	○	○	○	○	○				
 Padlock	■	■	■	■	■	■	■	■	○	○	○	■○	■	■○
 Cylinder locks	○	○	○	○	○	○	○	○	■	■	■	■○	○	■○
 Currency / Deposit-payment lock	○	○	○		○	○	○	○					○	
 Manual code locks	○	○	○	○	○	○	○	○	○	○	○	○	○	
 Electronic code locks	○	○	○	○	○	○	○	○	○	○	○		○	○
 Single plate door	■	○	■○	■	■○	○		○	■		■	■○		■
 Double plate door	○	■	■○		■○	■	■	■		■		■○		

	Charging lockers	G/GS	GD/GDS	GDT/GDTS	GB/GBS	GBF/GBFS	EBF/EBFS	GZ/GZS	RS/RSS	ST/STS	PF	MB	VISION	Golf lockers
 Veneer / laminates / painted MDF doors	○	○	○			○		○				○	■	
 Acrylic doors					○	○								
 Sound proofed doors		○	○			○								
 Protect against vandalism							■							
 Letter slot H: 30 mm, W: 214/314 mm	○	○	○	○	○	○			○		■			
 Door stop	■	■	■	■		■	■	■		■	■			■
 Hanging rail with 2 double hooks		■	■	■	○	○	○	■					■ ○	
 Towel hook		■	■	■				■						■
 Shelves 1/1		○	○	■ ○	○	○	○						○	○
 Shelves 3/4		■ ○	■ ○	○	○	○	○						■ ○	○
 Divider		○	○	○									○	
 Bookshelf					○	○	○						○	○
 Galvanized shoe shelf		○	○	○										
 Power outlet	■	○	○	○		○	○							
 Thermal ventilation*	■	■ (G/GS)	■ (GD/GDS)	■ (GDT/GDTS)	■ (GB/GBS)	■ (GBF/GBFS)	■ (EBF/EBFS)	■ (GZ/GZS)	■ (RS/RSS)	■ (ST)	■		■	■
 Mechanical ventilation	○	■ (GS)	■ (GDS)	■ (GDTS)	■ (GBS)	■ (GBFS)	■ (EBFS)	■ (GZS)	■ (RSS)	■ (STS)	○			

* Ventilation on page 76.



Standard colours



RAL 7035
Light grey



RAL 5017
Traffic blue

Stocked colors (additional price)



RAL 9010
Pure white



RAL 1015
Light ivory



RAL 7036
Platinum
grey



RAL 7024
Graphite
grey



RAL 9005
Jet black



RAL 1004
Golden
yellow



RAL 3003
Ruby red



RAL 3020
Traffic red



RAL 5001
Green blue



RAL 6025
Fern green

Stocked laminate colors (additional price)



W 450



ARAP 138



F 2296



406 Lucida



F 6466



F 7961



F 2770



F 6467



879 Lucida



F 6468



K 1834



F 7853



F 7884



F 1485



K 1238



K 3210


Other door variants, such as compact laminate, can be produced on request. It is possible to choose any other RAL or NCS colors at an additional price.

Abbreviations and dimensions

H: = Height, W: = Width, D. = Depth,
mm = millimeter, Ø. = diameter.

Unless otherwise specified, all dimensions are in mm.


Reservations are made for printing/typing errors, obsolete items and deviations in product photos or specifications.



Model GDTS (sloping top) is 2 cm lower on the back edge and 5 cm less deep than GS.



VENTILATION SYSTEMS



Blika standard ventilation


Blika lockers are ventilated with ordinary thermal ventilation. The air enters the locker through the perforated base and escape through the ventilation punching above the door. This eliminates moist and repellent smell from working clothes.



Type A, Blika individual solution. Mechanical thermal drying


With the Blika drying element, which is an adjustable, moisture controlled hot-air blaster, quick and very efficient individual drying of even wet working clothes is achieved for small installation costs.

The energy consumption is also low as drying takes place only when certain moisture is reached inside the locker. The system is mounted in every single locker and is particularly suited where a smaller number of employees work outside or in wet rooms.



Type B, Blika ventilation, external, mechanical ventilation

The ventilation pipes in the lockers are connected to the ventilation system in the building and thereby create an underpressure in the lockers. This secures that repellent smell from dirty and moist working clothes is eliminated. Blika lockers type GS, GDS and GDTS are prepared for mounting of this solution. Blika can supply all pipe variations that are needed up till the pipe system outlet from the locker. The customer informs us of where the lockers are erected and where the outlets are to be placed. Then we supply the necessary number of pipes with ventilation holes, connectors, endplates and tees. The air capacity of the ventilation system must be 33 m³/h per linear meter locker. The max reach is 3 meter on each side of the outlet.




Type C, Blika mechanical drying ventilation. Re-circulation
 With stepless, variable re-circulation a larger drying effect and energy-efficient ventilation of the locker is achieved. This results in both better drying of the clothes and daily airing of the room. If extra and quicker drying effect is needed, the heating element is connected and the temperature of the circulation air is raised up to 23°. The ventilator parts blow a strong, pre-heated air through the pipe in the base of the lockers. The over-pressure is then sucked out of the locker through a pipe in the top. The main part of the air sucked out of the lockers is re-circulated and an adjustable amount of air is passed out via the ordinary airing system. To utilise the full effect of the solution the lockers should be mounted with a drying rack, shoe rack and extra hooks. This allows high drying efficiency for small operation costs.

Technical data

	Type A	Type C
Electrical connection	220 V w/earth	220 V w/earth
Total efficiency	535 W	148/2820 W
Ventilation	25 W	148 W
Heat	500 W	2000 W
Capacity	100 m ³ /t	515 m ³ /t
Width	27,2 cm	20 cm
Height	56 cm	194 cm
Depth	9,5 cm	55 cm
Adjustable hygrostat control within 30-80 % RH	Yes	No
Temperature area		
Thermostat TCO protection against thermal overload	Yes	Yes
Other	Independent of ventilation system	Connect to ventilation system





Blika a/s
Spangsbjerg Møllevej 100
DK-6705 Esbjerg Ø
Tel: +45 79 14 21 22
Fax: +45 75 14 01 02
Mail: mail@blika.dk
www.blika.dk



blika.

intelligent storage